


The logo for Azooqi LED Lighting features the brand name 'Azooqi' in a sans-serif font. The two 'o's are replaced by circular icons composed of small green dots. Below the brand name, the words 'LED LIGHTING' are written in a smaller, all-caps sans-serif font.

Azooqi
LED LIGHTING

LUMOFLEX CATALOGUE



The following catalogue outlines our extensive range of Lumoflex fittings.

Each fitting has been named according to its shape as well as to reflect the multicultural nature of the Azoogi team. Our Lumoflex product names represent the diverse nature of the Azoogi staff, encompassing Bengali, Indian, Nepali, French, Hebrew & Persian languages.

We hope you enjoy browsing our fittings as much as we have enjoyed developing them!


CONTENTS:

- 04 **La Lune**
- 05 **Layana**
- 06 **Mala**
- 07 **Mandal**
- 08 **Mayur**
- 09 **Slili**
- 10 **Taloy**
- 11 **Taranga**
- 12 **Tiyar**

LA LUNE



La Lune means the Moon in French. The round, multiple nature of these lights evoke the stars and Moon in the night sky. Choose the size and number of rings to add interest to any feature walls in commercial or residential settings.



MATERIALS


Material description	Quantity
Lumoflex 3000K/4000K	5m
Connection ring	5
Cable	2m
Dimmable driver	1

LAYANA



Layana translates as shining in Persian. While we don't have any Persian Staff members, the name stuck due to both to the beauty of the name and the fitting!


Layana is a showstopping feature light for both commercial and residential settings. Whether you need to bring drama to your kitchen, dining room or boardroom, Layana will bring an ethereal beauty that will evoke admiration in visitors for years to come.



MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	3.5m
Brass coloured metal rod (33mm diameter)	1m
Suspension kit (2 pcs per set)	1 set
brass coloured metal suspension rods - 500mm (optional)	2
Mounting nails	6
Cable	2m
Dimmable driver	1

MALA



Mala means garland in Nepali.

Mala is the perfect fitting to add light and a feature of interest in small areas.

MATERIALS


Material description	Quantity
Lumoflex 3000K/4000K	3m
Connection ring	1
Sconce plate	2
Cable	2m
Dimmable driver	1

MANDAL



Mandal means circle in Nepali and will create a circular, earthy feature light with one or more rings.


Mandal is the perfect fitting to add interest to a dark space or interest to an open plan area.



MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	2m
Wooden blocks (90 x 90 x 150mm)	2
Connection ring	2
Cable	4m
Dimmable driver	1

MAYUR




As well as being the name of our dedicated and talented warehouse manager, Mayur means Peacock in Hindi.

Mayur adds an added level of interest to the mala fitting, enabling additional loops and knobs to be added to feature areas.

MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	2m
Connection ring	1
Sconce plate	2
Surface mounting clips	7
Cable	2m
Dimmable driver	1

SLILI




Slili means spiral in Hebrew.

The multiple strands of Slili enable it to lighten up small and large spaces as well as to become a meditative feature.

MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	3m
Connection ring	1
Sconce plate	1
Cable	2m
Dimmable driver	1

TALOY



Taloy means hanging in Hebrew.

These ropes of Lumoflex are perfect to add drama to any commercial or residential space, particularly those commonly used for entertaining.



MATERIALS

Material description	Quantity
Lumoflex	5m
Surface mounting end caps	6
Cable	6m
Dimmable driver	1

TARANGA

Taranga refers to a series of motions in Bengali, reflecting the movement evoked by this fitting.


Taranga is perfect for feature walls and to add visual interest and light through clean architectural lines.



MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	3m
Surface mounting clips	5
Cable	2m
Dimmable driver	1

TIYAR



Tiyar means teardrop in Bengali.

Tiyar is perfect for illuminating feature walls and creating an evocative wall feature in residential and commercial spaces.

MATERIALS

Material description	Quantity
Lumoflex 3000K/4000K	4m
Surface mounting clips	4 to 8
Connection rings	2
Cable	2m
Dimmable driver	1

